## Pendant Luminaires | 220-240 V | 2xE27 7663



	Ø <u>10</u> 0	20
H MAX 2200		
		258
Ø 500		

• المعالم معالم معالم

Technical data	
Installation position	Ceiling
Installation environment	Indoor
Lamp cap	2 x E27 Max 46W
Frequency	50-60 Hz
Optics	General Lighting
Light emission direction	downward
Safety class	1
IP	IP40
Glow wire test	650°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	No
Induzione	No
Emergency mode	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No

Finishing casing				
Material	PE			
Colour	Beton dark grey			
Processing	Coating			
Finishing diffuser				
Material	PMMA			
Colour	opaline			
Processing	Satin finishing			
Finishing mountin	ng frame			
Material	Iron			
Colour	embossed white RAL 9003			
Processing	Coating			

Pendant Luminaires | 220-240 V | 2xE27 7663

Single emission pendant luminaires for indoor application. Compatibility: LED lamp, halogen 46 W; lamp cap 2xE27.

The device body is made of pe and features a beton dark grey finish, processed by means of coating; the diffuser is made of pmma with a satin finishing treatment; the mounting frame is made of iron, with a embossed white ral 9003 finish, processed by means of coating. The ingress protection degree is IP40; the total weight is of 3.325 kg.

The device features protection class I and can be ceiling-mounted.

Illuminotechnical Features			
Luminous flux (source)	1400 lm		
Colour temperature	2800 K		
Colour rendering index	100 Ra		