

921

ORIGINAL | Lamps with glass wedge bases



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts

Product datasheet

Technical data


Electrical data

Power input	19.4 W
Nominal voltage	12.0 V
Nominal wattage	16.00 W
Power input tolerance	±10 %
Test voltage	13.5 V

Photometrical data

Luminous flux	310 lm
---------------	--------

Dimensions & weight



Length	38.0 mm
Diameter	16.0 mm
Product weight	2.00 g

Lifespan

Lifespan B3	400 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	W2.1x9.5d
-----------------------------	-----------

Certificates & standards

ECE category	W16W
--------------	------

Country specific categorizations

Order reference	921
-----------------	-----

Product datasheet

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321100948	OSRA921	-	-	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321100948	921	Unpacked 1	31 mm x 14 mm x 17 mm	0.01 dm ³	3.40 g
4008321100955	921	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm ³	33.00 g
4008321100962	921	Shipping carton box 50	205 mm x - x 64 mm	1.89 dm ³	227.00 g
4008321349507	921	Blister 2	95 mm x 18 mm x 70 mm	0.12 dm ³	10.00 g
4008321349514	921	Shipping carton box 20	79 mm x - x 189 mm	1.57 dm ³	142.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.