

5007

ORIGINAL | Lamps with metal bases



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts

Product datasheet

Technical data



Electrical data

Power input	5 W
Nominal voltage	12.0 V
Nominal wattage	5.00 W
Power input tolerance	±10 %
Test voltage	13.5 V

Photometrical data

Luminous flux	50 lm
---------------	-------

Dimensions & weight



Length	37.5 mm
Diameter	16.0 mm
Product weight	5.50 g

Lifespan

Lifespan B3	350 h
Lifespan Tc	800 h

Additional product data

Base (standard designation)	BA15s
-----------------------------	-------

Certificates & standards

ECE category	R5W
Approval marks – approval	E1 approval

Country specific categorizations

Product datasheet

Order reference	5007 5W 12V BA1
------------------------	-----------------

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300838427	OSRA5007	8328126	-	-
4050300925585	OSRA5007BLI2	-	4730326	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300838427	5007	Unpacked 1	29 mm x 15 mm x 16 mm	0.01 dm ³	6.88 g
4050300525082	5007	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm ³	73.00 g
4008321093882	5007	Shipping carton box 50	205 mm x - x 64 mm	1.89 dm ³	402.00 g
4050300925585	5007	Blister 2	68 mm x 18 mm x 48 mm	0.06 dm ³	16.00 g
4008321140319	5007	Shipping carton box 20	189 mm x - x 103 mm	2.02 dm ³	220.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.