



Technical data	
Installation position	Ceiling
Installation environment	Indoor
Lamp cap	4 x GU10 Max
Frequency	50-60 Hz
Optics	General Lighting
Light emission direction	downward
Safety class	1
IP	IP20
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	No
Induzione	No
Emergency mode	No
Motion sensor	No
Directional	Yes
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Net weight	2.700 Kg

Finishing casing	
Materiale lega	Iron
Colour	grey RAL 9006
Processing	Coating

Finishing mounting frame	
Materiale lega	Iron
Colour	grey RAL 9006
Processing	Coating



Ceiling Lights | 220-240 V | 4xGU10
7349

Single emission ceiling lights for indoor application. Compatibility: LED lamp, halogen 42 W; lamp cap 4xGU10.

The device body is made of iron and features a grey ral 9006 finish, processed by means of coating; the mounting frame is made of iron, with a grey ral 9006 finish, processed by means of coating. The ingress protection degree is IP20; the total weight is of 2.700 kg.

The device features protection class I and can be ceiling-mounted.

Illuminotechnical Features	
Luminous flux (source)	1200 lm
Colour temperature	2800 K
Colour rendering index	100 Ra