


Pelota_P



Pendant Luminaires | 220-240 V | 1xGU10
6835



Technical data	
Installation position	Ceiling
Installation environment	Indoor
Lamp cap	1 x GU10 Max
Frequency	50-60 Hz
Optics	General Lighting
Light emission direction	downward
Safety class	1
IP	IP20
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	No
Induzione	No
Emergency mode	No
Motion sensor	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Net weight	0.650 Kg

Finishing casing	
Materiale lega	Iron
Processing	Coating

Finishing mounting frame	
Materiale lega	Iron
Processing	Coating



Pendant Luminaires | 220-240 V | 1xGU10
6835

Single emission pendant luminaires for indoor application. Compatibility:
LED lamp, halogen 42 W; lamp cap 1xGU10.

The device body is made of iron, processed by means of coating; the
mounting frame is made of iron, processed by means of coating. The
ingress protection degree is IP20; the total weight is of 0.650 kg.

The device features protection class I and can be ceiling-mounted.

Illuminotechnical Features	
Luminous flux (source)	300 lm
Colour temperature	2800 K
Colour rendering index	100 Ra