Wall Lights | 220-240 V | 3xGU10 1153 
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●
 ●





Technical data		
Technical data		
Installation position	Wall lights - Ceiling	
Installation environment	Indoor	
Lamp cap	3 x GU10 Max	
Frequency	50-60 Hz	
Optics	General Lighting	
Light emission direction	downward	
Safety class	1	
IP	IP20	
Glow wire test	850°	
Direct mounting on normally flammable surfaces	Yes	
CE	Yes	
ETL	No	
Induzione	No	
Emergency mode	No	
Motion sensor	No	
Directional	Yes	
Tilting	No	
Walk-over	No	
Drive-over	No	
Cable included	No	
Resin potting	No	
Net weight	1.100 Kg	

Materiale lega	Glass	
Colour	transparent	
Finishing mount	ng frame	
Finishing mount	5	
<b>Finishing mount</b> Materiale lega	n <b>g frame</b> Aluminium	

## Wall Lights | 220-240 V | 3xGU10 1153

Single emission wall lights for indoor application. Compatibility: LED lamp, halogen 42 W; lamp cap 3xGU10.

The device body is made of glass and features a transparent finish; the mounting frame is made of aluminium, with a neutral finish. The ingress protection degree is IP20; the total weight is of 1.100 kg.

The device features protection class I and can be wall lights or ceilingmounted.

Illuminotechnical Features	
Luminous flux (source)	900 lm
Colour temperature	2800 K
Colour rendering index	100 Ra