# Oh!\_Mars

### Floor Lamp | 220-240 V | 1xE27 15133



Technical data			
Туре	Floor Lamp		
Installation position	Floor		
Installation environment	Outdoor		
Lamp cap	1 x E27 Max 57W		
Frequency	50-60 Hz		
Optics	General Lighting		
Light emission direction	upward		
Safety class	2		
IP	IP65		
IK	IK06		
Glow wire test	650°		
Direct mounting on normally flammable surfaces	Yes		
CE	Yes		
ETL	No		
Fire Rated (BS 476 PT21 compliant)	No		
Induction	No		
Emergency mode	No		
Motion sensor	No		
Directional	No		
Tilting	No		
Walk-over	No		
Drive-over	No		
Cable included	No		
Resin potting	No		
Type of light emission	Double emission		
Net weight 7.200 Kg			

X D C K06 P65 C



#### Finishing diffuser

Material	PE
Colour	Wood

#### Floor Lamp | 220-240 V | 1xE27 15133

Double emission floor lamp for outdoor application. Compatibility: LED lamp, compact fluo 30 W, halogen 57 W; lamp cap 1xE27.

The diffuser is made of pe; the mounting frame is made of pe, with a white finish. The ingress protection degree is IP65; the total weight is of 7.200 kg.

The device features protection class II and can be floor-mounted with an outer casing, code 14930(for concrete or masonry).

Illuminotechnical Features		
Luminous flux (source)	915 lm	
Colour temperature	2500 K	
Colour rendering index	100 Ra	

# Oh!\_Mars

Oh!\_Mars | Floor Lamp | Accessories 15133

22 0 11	Outer casing - outer casing for installation on ground or on concrete	<b>Code</b> 14930
50 V	Pegs - peg for ground mounting	<b>Code</b> 14937
036	anti-theft - anti-theft ground fixing bracket	<b>Code</b> 14082