

## Ceiling Lights | 220-240 V | 1xE27 **10122**













Ø	280

Technical data		
Туре	Surface	
Installation position	Wall lights - Ceiling	
Installation environment	Indoor	
Lamp cap	1 x E27 Max 30W	
Frequency	50-60 Hz	
Optics	General Lighting	
Light emission direction	downward	
Safety class	2	
IP	IP20	
IK	IK10	
Glow wire test	650°	
Direct mounting on normally flammable surfaces	Yes	
CE	Yes	
ETL	No	
Fire Rated (BS 476 PT21 compliant)	No	
Induction	No	
Emergency mode	No	
Motion sensor	No	
Directional	No	
Tilting	No	
Walk-over	No	
Drive-over	No	
Cable included	No	
Resin potting	No	
Type of light emission	Double emission	
Net weight	1.050 Kg	

Finishing diffuser		
Material	PE	
Colour	neutral	



## Ceiling Lights | 220-240 V | 1xE27 10122

Double emission ceiling lights for indoor application. Compatibility: LED lamp, halogen 30 W, compact fluo 14 W; lamp cap 1xE27.

The diffuser is made of pe; the mounting frame is made of pe, with a white finish. The ingress protection degree is IP20; the total weight is of 1.050 kg.

The device features protection class II and can be wall lights or ceilingmounted.

Illuminotechnical Features		
Light Output Ratio (LOR)	77 %	
Luminous flux (source)	405 lm	
Luminaire luminous flux	315 lm	
Consumption	30 W	
Luminaire efficacy	13 lm/W	
Colour rendering index	100 Ra	

OPTICAL				
Light distribution simmetry	Symmetrical			
C0/C180 optics	180°			

