Hanging Ohps!



Floor Lamp | 220-240 V | 1xE27 15380
















Technical data		
Туре	Floor Lamp	
Installation position	Floor	
Installation environment	Outdoor	
Lamp cap	1 x E27 Max 30W	
Frequency	50-60 Hz	
Optics	General Lighting	
Light emission direction	upward	
Safety class	2	
IP	IP65	
IK	IK10	
Glow wire test	650°	
Direct mounting on normally flammable surfaces	Yes	
CE	Yes	
ETL	No	
Fire Rated (BS 476 PT21 compliant)	No	
Induction	No	
Emergency mode	No	
Directional	No	
Tilting	No	
Walk-over	No	
Drive-over	No	
Cable included	No	
Resin potting	No	
Type of light emission	Single emission	
Net weight	2.700 Kg	

Finishing diffuser				
Material	PE			
Colour	neutral			

Hanging Ohps!



Floor Lamp | 220-240 V | 1xE27 15380

Single emission floor lamp for outdoor application. Compatibility: LED lamp, compact fluo 14 W, halogen 30 W; lamp cap 1xE27.

The diffuser is made of pe; the mounting frame is made of pe, with a white finish. The ingress protection degree is IP65; the total weight is of 2.700 kg.

The device features protection class II and can be floor-mounted with an outer casing, code 14930(for concrete or masonry).

Illuminotechnical Features		
Luminous flux (source)	405 lm	
Colour rendering index	100 Ra	

Hanging Ohps!



Hanging Ohps! | Floor Lamp | Accessories **15380**

	011	Outer casing - outer casing for installation on ground or on concrete	Code 14930
111	30 Ø 13	Pegs installation position: terreno,Cover material: pc	Code 14931
	55	anti-theft - anti-theft ground fixing bracket	Code 14100