Campana_P



Pendant Luminaires | 220-240 V | 1xE27 **4431**













Technical data		
Installation position	Ceiling	
Installation environment	Indoor	
Lamp cap	1 x E27 Max 57W	
Frequency	50-60 Hz	
Optic	Diff. + Diff. + Diff.	
Light emission direction	downward	
Safety class	1	
IP .	IP20	
Glow wire test	850°	
Direct mounting on normally flammable surfaces	Yes	
CE	Yes	
ETL	No	
Induzione	No	
Emergency mode	No	
Motion sensor	No	
Directional	No	
Tilting	No	
Walk-over	No	
Drive-over	No	
Cable included	No	
Resin potting	No	



Finishing casin	g	
Material	Iron	
Colour	nickel	
Processing	Electroplating	
Finishing diffus	ser	
Material	Glass	
Colour	white	
Processing	Sandblasting	
Finishing mour	iting frame	
Material	Iron	
Colour	nickel	
Processing	Electroplating	

Campana_P



Pendant Luminaires | 220-240 V | 1xE27 4431

Single emission pendant luminaires for indoor application. Compatibility: LED lamp, compact fluo 20 W, halogen 57 W; lamp cap 1xE27.

The device body is made of iron and features a nickel finish, processed by means of electroplating; the diffuser is made of glass with a sandblasting treatment; the mounting frame is made of iron, with a nickel finish, processed by means of electroplating. The ingress protection degree is IP20; the total weight is of 1.740 kg.

The device features protection class I and can be ceiling-mounted.

Illuminotechnical Features		
Luminous flux (source)	2215 lm	
Colour temperature	2500 K	
Colour rendering index	100 Ra	