

## Wall Lights | 220-240 V | 1x2G11 6723











	79
255	69

Technical data	
Installation position	Wall lights
Installation environment	Indoor
Power	1 x 18 W
Lamp cap	1 x 2G11
Frequency	50 - 60 Hz
Optics	General Lighting
Light emission direction	downward and upward
Safety class	1
IP	IP20
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	No
Driver included	Yes
Induzione	No
Emergency mode	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Net weight	1.110 Kg

Finishing casin	g	
Material	Iron	
Processing	Coating	
Finishing diffus	er	
Material	Glass	
Colour	white	
Processing	Sandblasting	
Finishing moun	ting frame	
Material	Iron	
Colour	white	
Processing	Coating	



## Wall Lights | 220-240 V | 1x2G11 **6723**

Double emission wall lights for indoor application. Fluorescent lamp included 18W, lamp cap 1x2G11.

The device body is made of iron, processed by means of coating; the diffuser is made of glass with a sandblasting treatment; the mounting frame is made of iron, with a white finish, processed by means of coating. The ingress protection degree is IP20; the total weight is of 1.110 kg. The power supply driver is included in the delivery.

The device features protection class I and can be wall lights-mounted.

Illuminotechnical Features	
Light Output Ratio (LOR)	33 %
Luminous flux (source)	1200 lm
Luminaire luminous flux	402 lm
Consumption	17 W
Luminaire efficacy	72 lm/W
Colour temperature	3000 K
Colour rendering index	89 Ra

